

# **Volvo**

# **VOLVO TRUCK**

## **Heavy Duty Application**

## **Specific Catalog**



Presented By:

Omega Environmental Technologies • 1401 Valley View Lane, Suite 100 • Irving, Texas 75061

Main: 972.812.7000 • Fax 972-314-9567 • Toll Free Phone: 888.286.6342

[www.omega-usa.com](http://www.omega-usa.com)



ENVIRONMENTAL  
TECHNOLOGIES

# VOLVO-BLOWER MOTOR

Diameter: 3  
Length: 4.75  
OEM: ABPN83-301017  
Rotation: CW  
Body Length: 4.375  
Shaft Length: 1.5  
Shaft Diameter: 5/16"  
Num Of Speeds: 1  
Speed: 1  
Desc: BLOWER ASSY 12V



26-10007

OEM: 351034251  
Rotation: CW  
Desc: BLOWER ASSY 12V



26-10010

Diameter: 3  
Length: 4.125  
OEM: AR62497  
Rotation: CCWLE  
Body Length: 3.5  
Shaft Length: 3.53125  
Shaft Diameter: 5/16"  
Speed: 1  
Desc: BLOWER MOTOR 12V



26-13277

Diameter: 3  
Length: 4.75  
Rotation: REV  
Body Length: 4  
Shaft Length: 1.5  
Shaft Diameter: 5/16"  
Desc: BOLWER MOTOR 12V 5 5/16in SINGLE SHAFT REVERSIBLE



26-14554

# VOLVO-CLUTCH - CCI

Model: YORK  
Class: HVY DTY  
Clutch Type:  
LEAF  
Grooves: 2GR  
Diameter: 7.  
00In  
OEM: 332334  
OEM: MA-7A  
Desc: 7.00IN 2A  
12V  
YORK/TECUMSEH



22-11001

Model: YORK  
Class: HVY DTY  
Clutch Type:  
LEAF  
Grooves: 2GR  
Diameter: 6.00  
In  
Desc: 6.00IN 2A  
12V YORK 3  
SPRING



22-11002

Model: YORK  
Class: HVY DTY  
Clutch Type:  
LEAF  
Grooves: 2GR  
Diameter: 6.0 In  
Desc: HD 6 3  
SPRING YORK  
12V



22-11023

Class: HVY DTY  
Grooves: 1GR  
Diameter: 6.7 In  
Desc: CLUTCH  
YORK 1GR  
170MM 12V



22-11144

# VOLVO-CLUTCH - SANDEN

No Attributes



Model:  
SD7H15HD  
Clutch Type:  
LEAF SPRING  
Grooves: 2GR  
Diameter:  
135mm  
Desc: 5.25in 2A  
GR FITS SANDEN  
4643  
COMPRESSOR



22-04695

22-20217



# VOLVO-COMPRESSOR

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 8  
 Coil Pos.: 12  
 OEM: 8082268  
 Desc: COMP  
 SD7H15 HPAD  
 130mm PV8 EAR



20-04490

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 8  
 Coil Pos.: 12  
 OEM: 20501067  
 Desc: COMP  
 SD7H15 4493  
 HPAD 130mm  
 PV8 DIR



20-04493

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 8  
 Coil Pos.: 12  
 OEM: 20501067  
 Desc: COMP  
 SD7H15 4493  
 HPAD 130mm  
 PV8 DIR 12V



20-04493-AM

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 6  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 4891  
 PV6 DIRECT MT  
 WV HEAD VOLVO  
 TRUCK



20-04494

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 6  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 4891  
 PV6 12V DIR MT  
 WV HEAD VOLVO  
 TRK



20-04494-AM

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 8  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 EAR MT  
 PV8 130mm 12V  
 KC VOLVO  
 TRUCK



20-04659

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 8  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15HDO  
 4660 119MM PV8  
 12V EAR R134A  
 JDA



20-04660

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 VOR  
 132mm 2A  
 2WIRE EAR  
 MOUNT



20-04694

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 DIRECT  
 MT 132MM 2 GRV  
 VOR VOLVO  
 TRUCK



20-04699

# VOLVO-COMPRESSOR

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 8  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 PV8  
 VOLVO TRUCK




20-04700

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 OEM: 8082270  
 Desc: COMP  
 SD7H15 4717  
 2GR 132mm  
 W/HPAD WV  
 HEAD EAR MT



20-04717-AM

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 4752 2A  
 132mm 12V JD  
 HEAD



20-04752

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 6  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15  
 4756/4475 PV6  
 FREIGHTLINER  
 S55 99-01



20-04756

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Desc: COMP  
 SD7H15 2A  
 132mm 12V EAR  
 GH HEAD  
 FREIGHTLINER



20-04821

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 8  
 Coil Pos.: 12  
 OEM: 20395054  
 Desc: COMP  
 SD7H15 4823  
 PV8 130MM 12V  
 KC HEAD VOLVO  
 TRUCK



20-04823

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 6  
 Coil Pos.: 12  
 OEM: 206RD51M  
 Desc: COMP  
 SD7H15 4883  
 DIRECT MT VOR  
 125mm PV6 12V



20-04883

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 6  
 Coil Pos.: 12  
 OEM: 206RD51M  
 Desc: COMP  
 SD7H15 4883  
 12V DIRECT  
 MOUNT VOR PV6  
 125mm



20-04883-AM

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 OEM: 85104593  
 Desc: COMP  
 SD7H15 2AGR H-  
 PAD DIRECT  
 MOUNT



20-04890

# VOLVO-COMPRESSOR

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 OEM: 8082269  
 Desc: COMP  
 SD7H15 4890  
 12V DIRECT  
 MOUNT HPAD 2A  
 132mm




20-04890-AM

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 4717  
 132mm 2A 12V  
 WV HEAD VOLVO  
 TRUCK



20-04893

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SANDEN  
 SD7H15SHD V-O  
 132mm 2A 12V  
 EAR 46



20-09964

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 VOR  
 W/DIODE  
 132mm 2A 12V  
 4644 / 4



20-09978

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15 4647  
 VOR W/DIODE  
 132mm 2A 12V



20-09978-AM

Model: SD510  
 Class: NEW  
 Oil Type:  
 MINERAL  
 Grooves: 1C  
 Coil Pos.: 12  
 Desc: COMP  
 SD510HD VOR C1 12V 9675



20-10012

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15HD  
 VOR/2A/12V JD  
 HEAD 4627



20-10071

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Coil Pos.: 12  
 Desc: COMP  
 SD7H15HD 4627  
 VOR 125mm 2A  
 12V EAR JD



20-10071-AM

Model: SD7H15  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: SD7H15HD  
 VOR DIR MT 2A  
 12V 132MM  
 #4626



20-10077

# VOLVO-COMPRESSOR

Model: SD510  
 Class: NEW  
 Oil Type:  
 MINERAL  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD510HD 9103  
 2GR 12V EAR MT



20-10105

Model: SD510  
 Class: NEW  
 Oil Type:  
 MINERAL  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD510HD 9103  
 2GR MASSEY-  
 FERGUSON  
 COMBINES



20-10105-AM

Model: SD508  
 Class: NEW  
 Oil Type:  
 MINERAL  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: SD508  
 VOR 2A 12V  
 132MM #9285



20-10106

Model: SD508  
 Class: NEW  
 Oil Type:  
 MINERAL  
 Grooves: 2  
 Coil Pos.: 12  
 Desc: COMP  
 SD508 9285 2GR  
 85-90 FORD/JEEP  
 DEALER A/C



20-10106-AM

Model: SD5H14  
 Class: NEW  
 Oil Type: PAG  
 100  
 Grooves: 1C  
 Coil Pos.: 12  
 Desc: COMP  
 SD5H14 VTO  
 158mm 1C 12V  
 4511



20-10187

Model: TM-15HD  
 Class: NEW  
 Oil Type:  
 MINERAL  
 Grooves: 2  
 Desc: COMP TM-  
 15HS EAR V ORG  
 2AG 135 3E 12V  
 B 1W




20-10206

Model: TM-15HD  
 Class: NEW  
 Oil Type: PAG 46  
 Grooves: 1  
 Desc: COMP TM-  
 15HS EAR V ORG  
 SOH 125 LS 12V  
 B 1W



20-10230

Model: TM-15HD  
 Class: NEW  
 Oil Type: PAG 46  
 Grooves: 1B  
 Desc: COMP TM-  
 15HS EAR V ORG  
 VGR 159 3E 12V  
 B 1W



20-10231

Model: TM-15HD  
 Class: NEW  
 Oil Type: PAG 46  
 Grooves: 2  
 OEM: 2521152  
 Desc: COMP TM-  
 15HS EAR V ORG  
 2AG 135 3E 12V  
 B 1W



20-10246



# VOLVO-COMPRESSOR

Model: TM-15HD  
 Class: NEW  
 Oil Type: PAG 46  
 Grooves: 2  
 OEM: 2521152  
 Desc: COMP TM-15HD 2A 12V  
 VOR B/O 45011



20-10246-AM

Model: TM-15HD  
 Class: NEW  
 Oil Type: PAG 46  
 Grooves: 1  
 OEM: 2521166  
 Desc: COMP TM-15HS EAR V ORG  
 SOH 125 LS 12V  
 B 1W



20-10295

Model: HP150  
 Class: NEW  
 Oil Type: PAG 46  
 Clutch Type: LEAF SPRING  
 Grooves: 1  
 OEM: 2521166  
 Desc: COMP HP150 EAR V  
 ORG SOH 125 LS  
 12V B 1W



20-10295-HP

Model: ET210L  
 Class: NEW  
 Oil Type: PAG 100  
 Coil Pos.: W/O  
 Desc: COMP YORK ET210L



20-10330

Model: ET210L  
 Class: NEW  
 Oil Type: ESTER/PAG 100  
 Grooves: W/O  
 Coil Pos.: W/O  
 OEM: ET210L-25150  
 Desc: COMP YORK ET210L  
 AFTERMARKET



20-10330-AM

Model: ER210L  
 Class: NEW  
 Oil Type: PAG 100  
 Grooves: W/O  
 Coil Pos.: W/O  
 OEM: ER210L-25149  
 Desc: COMP YORK ER210L-25149 NEW



20-10331

Model: ER210L  
 Class: NEW  
 Oil Type: ESTER/PAG 100  
 Grooves: W/O  
 Coil Pos.: W/O  
 OEM: ER210L-25149  
 Desc: COMP YORK ER210L  
 AFTERMARKET



20-10331-AM

Model: ER210R  
 Class: NEW  
 Oil Type: PAG 100  
 Grooves: W/O  
 Coil Pos.: W/O  
 OEM: ER210R-25200  
 Desc: COMP YORK ER210R-25200 NEW



20-10334

Model: ER210R  
 Class: NEW  
 Oil Type: ESTER/PAG 100  
 Grooves: W/O  
 Coil Pos.: W/O  
 OEM: ER210R-25200  
 Desc: COMP YORK ER210R  
 AFTERMARKET



20-10334-AM

# VOLVO-COMPRESSOR

Model: ET210R  
Class: NEW  
Oil Type: PAG  
100  
Grooves: W/O  
Switch Type:  
W/O  
Coil Pos.: W/O  
OEM: ET210R-  
25189  
Desc: YORK  
ET210R-25189  
NEW




20-10335

Model: ET210R  
Class: NEW  
Oil Type:  
ESTER/PAG 100  
Grooves: W/O  
Coil Pos.: W/O  
OEM: ET210R-  
25189  
Desc: COMP  
YORK ET210R-  
25189 NEW



20-10335-AM

Model: SD7H15  
Class: NEW  
Oil Type: PAG  
100  
Grooves: 2  
Coil Pos.: 12  
Desc: COMP  
SD7H15 VOR  
125mm 2A 12V  
HD SPLINE




20-14779

Model: TM-15HD  
Class: NEW  
Oil Type: PAG 46  
Grooves: 2  
OEM: 2521301  
Desc: COMP TM-  
15HS EAR V ORG  
2AG 135 3E 12V  
WPK 1W D



20-45077

Model: TM-16HD  
Class: NEW  
Oil Type: PAG 46  
Grooves: 1B  
OEM: 2521250  
Desc: COMP TM-  
16HS EAR CV  
ORG VGR 159 3E  
12V B 1W



20-46035

# VOLVO-CONDENSER

Height: 412mm

Depth: 19mm

Length: 812mm

OEM: 20461064 /

21095290 /

3092918

Desc: COND

VOLVO VN

SERIES 96-00

CONVENTIONAL

CAB W/SLPR



24-51200

---

# VOLVO-DRIER/ACCUM

Diameter Drier/Accum:  
2.5in  
Length: 8.0in  
Fitting In: 3/8  
MIO  
Sight Glass: TOP  
Switch Port: TOP  
Fitting Out: 3/8  
MIO  
Pressure Relief Valve  
SIDE  
OEM: A22-  
14425-002  
Desc: VOLVO/FREIGHTLINER 3/8 X 3/8  
MO 2.5 X 8 W/LPSP



**37-13459**

Diameter Drier/Accum:  
3.0in  
Length: 6.3in  
Fitting In: 3/8  
MIO  
Sight Glass: TOP  
Fitting Out: 3/8  
MIO  
Pressure Relief Valve  
SIDE  
OEM: RD5-4955-  
0  
Desc: 3 X 6.3 3/8 MIO W/F.P. KYSOR#  
402496



**37-13469**

Diameter Drier/Accum:  
2.75in  
Length: 10.0in  
Fitting In: 3/8  
MIO  
Sight Glass: TOP  
Switch Port:  
SIDE  
Fitting Out: 3/8  
MIO  
Pressure Relief Valve  
SIDE  
Desc: HEAVY EQUIP 2.75x10 3/8MO  
SG/SP/FP



**37-13511**

Diameter Drier/Accum:  
2.75in  
Length: 10.0in  
Fitting In: 3/8  
MIO  
Sight Glass: TOP  
Switch Port:  
SIDE  
Fitting Out: 3/8  
MIO  
Pressure Relief Valve  
SIDE  
Desc: DRIER HEAVY EQUIP 2.75x10  
3/8MO SG/SP/FP



**37-13511-AM**

Diameter Drier/Accum:  
2.9in  
Length: 8.5in  
Fitting In: 3/8  
MIO  
Sight Glass:  
SIDE  
Switch Port:  
SIDE  
Service Valve:  
SIDE  
Fitting Out: 3/8  
MIO  
OEM: 1620153  
Desc: VOLVO TRUCK # 1620153 W/BKT  
SIDE SG



**37-13554**

Diameter Drier/Accum:  
3.0in  
Length: 9.0in  
Fitting In: 3/8  
MIO  
Moisture Indicator  
TOP  
Fitting Out: 3/8  
MIO  
Pressure Relief Valve  
SIDE  
OEM: 3934718  
Desc: VOLVO/GM TRUCK 3 x 9.18 3/8MO  
HPRV / MI



**37-13558**

Diameter Drier/Accum:  
3.0in  
Length: 9.0in  
Fitting In: 3/8  
MIO  
Sight Glass: TOP  
Service Valve:  
TOP  
Moisture Indicator:  
TOP  
Fitting Out: 3/8  
MIO  
Pressure Relief Valve: SIDE  
OEM: 61510-0008  
Desc: VOLVO/GM TRUCK 3 x 9.18 3/8MO  
HPRV MI M



**37-13559**

Diameter Drier/Accum:  
3.0in  
Length: 9.18in  
Fitting In: 3/8  
MIO  
Sight Glass: TOP  
Service Valve:  
TOP  
Moisture Indicator:  
TOP  
Fitting Out: 3/8  
MIO  
Pressure Relief Valve: SIDE  
OEM: 61510-0008  
Desc: VOLVO/GM TRUCK 3inx9.18in 3/8in  
MIO HPRV MSP



**37-13559-AM**

Diameter Drier/Accum:  
3.0in  
Length: 10.5in  
Fitting In: 3/8  
MIO  
Sight Glass: TOP  
Switch Port:  
SIDE  
Fitting Out: 3/8  
MIO  
Pressure Relief Valve  
SIDE  
OEM: 9827053  
Desc: 92 & UP FORD NEW HOLLAND  
OEM# 9827053



**37-13571**

# VOLVO-DRIER/ACCUM

Diameter Drier/Accum: 3.0in  
 Length: 10.0in  
 Fitting In: 3/8  
 MIO  
 Sight Glass: SIDE  
 Service Valve: TOP  
 Moisture Indicator: TOP  
 Fitting Out: 3/8  
 MIO  
 Pressure Relief Valve: SIDE  
 OEM: K251-521  
 Desc: 70-74 KENWORTH KYSOR



**37-13595**

Diameter Drier/Accum: 3.0in  
 Length: 8.25in  
 Fitting In: 3/8  
 MIO  
 Sight Glass: TOP  
 Switch Port: TOP  
 Fitting Out: 3/8  
 MIO  
 Pressure Relief Valve: SIDE  
 OEM: A22-287960-0  
 Desc: 89 FREIGHTLINER OE# A-22-28796-000



**37-13611**

Diameter Drier/Accum: 3.0in  
 Length: 8.25in  
 Fitting In: 3/8  
 MIO  
 Sight Glass: TOP  
 Switch Port: TOP  
 Fitting Out: 3/8  
 MIO  
 Pressure Relief Valve: SIDE  
 OEM: A22-287960-0  
 Desc: 89 FREIGHTLINER OE# A22-287960-0



**37-13611-AM**

Diameter Drier/Accum: 3.0in  
 Length: 9.2in  
 Fitting In: 3/8  
 MIO  
 Sight Glass: TOP  
 Service Valve: SIDE  
 Fitting Out: 3/8  
 MIO  
 Pressure Relief Valve: SIDE  
 OEM: 61510-0006  
 Desc: 84-85 VOLVO TRUCK OE# 61510-0006



**37-13712**

Diameter Drier/Accum: 3.0in  
 Length: 8.24in  
 Fitting In: 3/8  
 MIO  
 Sight Glass: TOP  
 Switch Port: SIDE  
 Service Valve: SIDE  
 Fitting Out: 3/8  
 MIO  
 OEM: 61506-3402-000  
 Desc: 91-88 WESTERN STAR TRUCK



**37-13736**

Diameter Drier/Accum: 3.0in  
 Length: 10.0in  
 Fitting In: 3/8  
 MIO  
 Sight Glass: TOP  
 Switch Port: SIDE  
 Moisture Indicator: TOP  
 Fitting Out: 3/8  
 MIO  
 Pressure Relief Valve: SIDE  
 OEM: K256-566  
 Desc: DRIER KENWORTH 94 & UP K256-566



**37-13988**

Diameter Drier/Accum: 3.0in  
 Length: 10.0in  
 Fitting In: 3/8  
 MIO  
 Sight Glass: TOP  
 Switch Port: SIDE  
 Moisture Indicator: TOP  
 Fitting Out: 3/8  
 MIO  
 Pressure Relief Valve: SIDE  
 OEM: K256-566  
 Desc: DRIER KENWORTH 94 & UP K256-566



**37-13988-AM**

Diameter Drier/Accum: 3.0in  
 Length: 9.2in  
 Fitting In: 3/8  
 MIO  
 Moisture Indicator: TOP  
 Fitting Out: 3/8  
 MIO  
 Pressure Relief Valve: TOP  
 OEM: 20407205  
 Desc: DRIER 96-00 VOLVO CLASS 8 TRUCK VN SERIES



**37-13989**

Diameter Drier/Accum: 3.0in  
 Length: 9.2in  
 Fitting In: 3/8  
 MIO  
 Moisture Indicator: TOP  
 Fitting Out: 3/8  
 MIO  
 Pressure Relief Valve: TOP  
 OEM: 20407205  
 Desc: DRIER 96-00 VOLVO CLASS 8 TRUCK VN SERIES



**37-13989-AM**

# VOLVO-EXPANSION VALVE

Inlet: 3/8"  
 Outlet: 1/2"  
 Cap Type: COIL  
 Cap Length: 8"  
 Equalizer Length:  
 INT EQ  
 Equalizer Fitting:  
 INT EQ  
 Tons - Peanut:  
 1.5  
 Desc: EXP VALVE  
 3/8 X 1/2MIO 8in  
 CAP INT EQ 1.5T



31-10701

Inlet: 3/8"  
 Outlet: 1/2"  
 Cap Type: COIL  
 Cap Length: 18"  
 Equalizer Length:  
 18"  
 Equalizer Fitting:  
 1/4" F FL  
 Tons - Peanut:  
 1.5  
 Desc: EXP VALVE  
 3/8 X 1/2 MALE  
 FLARE FITTINGS



31-10703

Inlet: 3/8"  
 Outlet: 1/2"  
 Cap Type: COIL  
 Cap Length: 12"  
 Equalizer Length:  
 INT EQ  
 Equalizer Fitting:  
 INT EQ  
 Tons - Peanut:  
 1.5  
 Desc: EXP VALVE  
 3/8 X 1/2MIO  
 12in CAP INT EQ 1.5T



31-10912

Inlet: 3/8"  
 Outlet: 1/2"  
 Cap Type: COIL  
 Cap Length: 12"  
 Equalizer Length:  
 INT EQ  
 Equalizer Fitting:  
 INT EQ  
 Tons - Peanut:  
 1.5  
 Desc: EXP VALVE  
 3/8 X 1/2MF 12in  
 CAP 3/8in COIL 1.5T



31-10924

Inlet: 3/8"  
 Outlet: 1/2"  
 Cap Type: COIL  
 Cap Length: 12"  
 Equalizer Length:  
 INT EQ  
 Equalizer Fitting:  
 INT EQ  
 Tons - Peanut:  
 1.5  
 OEM: A22-  
 14420-001  
 Desc: EXP VALVE 3/8 X 1/2MF 12in CAP  
 3/8in COIL 1.5T



31-10924-AM

Inlet: 3/8"  
 Outlet: 1/2"  
 Cap Type: COIL  
 Cap Length: 12"  
 Equalizer Length:  
 16"  
 Equalizer Fitting:  
 1/4" FOR  
 Tons - Peanut: 2  
 OEM: 80220-  
 SH3-A11  
 Desc: EXP VALVE  
 3/8 X 1/2MO 12in X 13-1/4in FO 2T



31-10928

Inlet: 3/8"  
 Outlet: 1/2"  
 Cap Type: COIL  
 Cap Length: 12"  
 Equalizer Length:  
 16"  
 Equalizer Fitting:  
 1/4" FOR  
 Tons - Peanut: 2  
 OEM: 80220-  
 SH3-A11  
 Desc: EXP VALVE  
 3/8 X 1/2MO 12in X 13-1/4in FO 2T



31-10928-AM

Inlet: 3/8"  
 Outlet: 1/2"  
 Cap Type: COIL  
 Cap Length: 12"  
 Equalizer Length:  
 13"  
 Equalizer Fitting:  
 1/4" MOR  
 Tons - Peanut:  
 1.5  
 Desc: EXP VALVE  
 3/8 X 1/2 MO  
 12in x13in  
 3/8TUBE



31-10951-AM

Tons - Block:  
 1.5T  
 Liquid Inlet: 3/8"  
 Liquid Outlet:  
 1/2"  
 Suction Inlet:  
 1/2"  
 Suction Outlet:  
 5/8"  
 Desc: EXP VALVE  
 HEAVY  
 DUTY/TRUCK  
 W/MTG HOLES



31-30901


# VOLVO-EXPANSION VALVE

Tons - Block: 1.5T  
 Liquid Inlet: 3/8"  
 Liquid Outlet: 1/2"  
 Suction Inlet: 1/2"  
 Suction Outlet: 5/8"  
 Desc: EXP VALVE  
 1.5T 2.25 HOLE  
 3/8X1/2X1/2X5/8



31-30901-AM

Tons - Block: 2T  
 Liquid Inlet: 3/8"  
 Liquid Outlet: 1/2"  
 Suction Inlet: 1/2"  
 Suction Outlet: 5/8"  
 Desc: EXP VALVE  
 PARKER 1-2T  
 ADJ W MTG  
 HOLES



31-30901-P

Tons - Block: 2T  
 Liquid Inlet: 3/8"  
 Liquid Outlet: 1/2"  
 Suction Inlet: 1/2"  
 Suction Outlet: 5/8"  
 Desc: EXP VALVE  
 BLOCK PARKER  
 2T ADJ W MTG  
 HOLES



31-30901-P-AM

Tons - Block: 2T  
 Liquid Inlet: 3/8"  
 Liquid Outlet: 1/2"  
 Suction Inlet: 5/8"  
 Suction Outlet: 3/4"  
 OEM: RE57575  
 Desc: EXP VALVE  
 JOHN  
 DEERE/VOLVO



31-30918

Tons - Block: 2T  
 Liquid Inlet: 3/8"  
 Liquid Outlet: 1/2"  
 Suction Inlet: 5/8"  
 Suction Outlet: 3/4"  
 OEM: RE57575  
 Desc: EXP VALVE  
 BLOCK  
 3/8X1/2X5/8X3/4  
 JOHN DEERE/VOLVO



31-30918-AM

Tons - Block: 2T  
 Liquid Inlet: 3/8"  
 Liquid Outlet: 1/2"  
 Suction Inlet: 5/8"  
 Suction Outlet: 5/8"  
 OEM: A22-45432-001  
 Desc: EXP VALVE  
 99-02  
 FREIGHTLINER COLUMBIA



31-30940

Tons - Block: 2T  
 Liquid Inlet: 3/8"  
 Liquid Outlet: 1/2"  
 Suction Inlet: 5/8"  
 Suction Outlet: 5/8"  
 OEM: A22-45432-001  
 Desc: BLOCK  
 VALVE  
 FREIGHTLINER BLEED TYPE 99-02  
 COLUMBIA



31-30940-AM

Tons - Block: 1T  
 Liquid Inlet: 3/8"  
 Liquid Outlet: 1/2"  
 Suction Inlet: 5/8"  
 Suction Outlet: 5/8"  
 OEM: 8648253-6  
 Desc: EXP VALVE  
 03-04 VOLVO  
 XC90 (AUX)



31-31105